


Page 1 7 December 2017 • REV D

WK2 Transmission Protection Plate

<u>Install</u> <u>Instructions</u>



REF QTY DESCRIPTION REF QTY DESCRIPTION

- **A** 1 Transmission Protection Plate
- **B** 3 M8 x 30mm 8.8 Bolts (Zinc)
- **C** 3 M8 Wedge-Lock Extended Washers (Zinc Flake)
 - 1 M8 x 3mm Washer (AL6061)

- **E** 1 M8 CL8 Flange Nut (Zinc)
- 1 4g Anti-Seize Pouch
- 1 Chief Products Shop Rag

REQUIRED TOOLS

16mm Socket 13mm Socket

D

13mm Wrench Ratchet

NOTES

- Do not over-tighten fasteners.
- Photos are representative only. They may show prototype parts and be taken from multiple vehicles.

IMPORTANT

- PROPER INSTALLATION IS ESSENTIAL TO THE PERFORMANCE OF THIS PRODUCT.
- ONLY INSTALL THIS PRODUCT ON A 2011-2018 JEEP GRAND CHEROKEE.
- ONLY USE THE PROVIDED HARDWARE FOR INSTALLATION.
- DO NOT MODIFY THE STRUCTURE OF THIS PRODUCT IN ANY WAY.
- CHECK PRODUCT REGULARLY FOR DAMAGE. REPLACE IMMEDIATELY AT FIRST SIGN OF DAMAGE.
- CHECK FASTENER TIGHTNESS REGULARLY AND TIGHTEN IF REQUIRED.

1

Unbolt Mopar skid plates (if equipped).

- 1. Remove (2) factory M8 Bolts on Mopar 'Front Axle Skid Plate' (82211995). Do not completely remove skid plate.
- 2. Remove (5) factory M10 Bolts on Mopar 'Transfer Case Skid Plate' (82211994). Remove.



RECOMMENDED STEP

Place beer in freezer for later.



Page 2 7 December 2017 • REV D

WK2 Transmission Protection Plate

Install Instructions

2

Remove factory plastic guard.

1. Remove (5) M8 Bolts.


The factory plastic guard can now be removed.



3

Position Transmission Protection Plate.

- 1. Align front mounting feet on Transmission Protection Plate [A] with factory 'U-Nuts' on front cross member.
- 2. Align rear of Transmission Protection Plate [A] with holes on transfer case cross member, (squares).



4

Mopar 'Front Axle Skid Plate'

Position Transmission Protection Plate.

1. If you have the Mopar 'Front Axle Skid Plate' the Transmission Protection Plate [A] bolts over it.





Page 3 7 December 2017 • REV D


WK2 Transmission Protection Plate

Install Instructions



Install front hardware.


- Slide (1) M8 Wedge-Lock Extended Washer [C] onto (1) M8 x 30mm Bolt [B]. Do this for both of the front mounting points.
- 2. Insert bolt combo through Transmission Protection Plate [A] and Mopar 'Front Axle Skid Plate' (if equipped).
- 3. Thread each bolt into the 'U-Nuts' on the front cross member. Finger Tighten.





Install rear hardware.

- Slide (1) M8 Wedge-Lock Extended Washer [C] onto
 (1) M8 x 30mm Bolt [B].
- 2. Insert bolt combo through Transmission Protection Plate [A].
- 3. Place (1) M8 x 3mm Washer [D] on top and then thread (1) M8 Flange Nut [E] onto bolt.



WITHOUT Mopar 'Transfer Case Skid Plate' (Go To Step 7)
WITH Mopar 'Transfer Case Skid Plate' (Skip To Step 8)


7

Without Mopar 'Transfer Case Skid Plate

Install rear hardware.

1. Insert factory M8 bolt through Transmission Protection Plate [A] into welded nut on transfer case cross member. Finger tighten.

Skip to Step 11.





Page 4 7 December 2017 • REV D

WK2 Transmission Protection Plate

Install Instructions

8

With Mopar 'Transfer Case Skid Plate'

Install Mopar 'Transfer Case Skid Plate'.

1. Install (4) factory M10 Bolts on Mopar 'Transfer Case Skid Plate'. Tighten.



9

With Mopar 'Transfer Case Skid Plate'

Install rear hardware.

 Insert (1) factory M10 bolt through Mopar 'Transfer Case Skid Plate' and Transmission Protection Plate [A] into welded nut on transfer case cross member. Finger tighten.



DAD JOKE


In the park today, I wondered why the Frisbee was getting bigger.

Then it hit me.

10

Tighten all fasteners.

- 1. Tighten front fasteners.
- 2. Tighten rear fasteners.



NOTE

Recommended M8 Bolt Torque = 33Nm (Dry) or 28Nm (Anti-Seize)



Page 5	/ December 2017 • REV
WK2 Transmission Protection Plate	Install Instructions
REMINDER Don't forget about the beer in the freezer!	
WK2 Transmission Protection Plate is now fully	installed.
Find answers online.	
www.chiefproducts.com.au/pages/support	
Having troubles? Make sure you've downloaded the most of these instructions from our website. We occasionally rwww.chiefproducts.com.au/installation/wk2-transmission-pro	nake updates.
If you need additional help, send us an email support@chiefproducts.com.au	l.